






Egg Incubating Machine price offer






Very Important

- 1) Unless specified, all the models we listed are 100% incubating machines with their incubating accessories.
- 2) For Incubating trolley models GEO-A to G, extra hatching trolleys could be bought to manage the hatching procedure in the same incubating machine, hence basically it's no need to order another individual hatcher. Quantity of extra hatching trolley depends on your production time and quantity requirement. Total 3 types of hatching trolley for matching different model of incubating machine:
 - 12 decks hatching trolley [price please consult](#) For GEO-E,F,G
 - 14 decks hatching trolley [price please consult](#) For GEO-D
 - 16 decks hatching trolley [price please consult](#) For GEO-A,B,C
- 3) For Incubating shelf models GEO-H to R, as the egg shelves are all fixed and connected with egg turning system, it's not allow to have any inner structure change as it will distroy the egg turning process. Hence a precise order confirmation of machine type (full incubator? Full hatcher? Or Incubator and hatcher set?) is strongly requested.
- 4) To avoid probles and to guarantee a satisfied production, please always specify your production schedule when ordering "incubator and hatcher set" for all models, otherwise the different inner structure design might cause the difference of production rate.

Model No.	Model Picture	Chicken egg Capacity	Machine dimation (mm)	Package dimension (mm)	Heating Power	N.W. (kgs)	G.W. (kgs)	Machine inner structure		Unit Price
								Loading quantity	Accessories list	EXW WUZHOU
GEO-A		33792	6000*1800*2400	1070*1840*2470 * 6 packages	4500W	2800	3000	88 egg * 4 trays * 16 decks * 6 trolleys	Limit switch * 2 Portable egg candling * 1 Heating pipe * 8 Humidification tube * 6 Egg turning motor * 12 Thermostat fan * 4 Forced-draught fans * 2	Please consult

GEO-B		28160	5000*1800* 2400	1070*1840* 2470 * 5 packages	4000W	2300	2500	88 egg * 4 trays * 16 decks * 5 trolleys	Limit switch * 2 Portable egg candling * 1 Heating pipe * 8 Humidification tube * 5 Egg turning motor * 10 Thermostat fan * 4 Forced-draught fans * 2	Please consult
GEO-C		22528	4000*1800* 2400	1070*1840* 2470 * 4 packages	3500W	1800	2000	88 egg * 4 trays * 16 decks * 4 trolleys	Limit switch * 2 Portable egg candling * 1 Heating pipe * 8 Humidification tube * 4 Egg turning motor * 8 Thermostat fan * 4 Forced-draught fans * 2	Please consult
GEO-D		19712	4000*1800* 2200	1070*1840* 2270 * 4 packages	3000W	1300	1400	88 egg * 4 trays * 14 decks * 4 trolleys		Please consult
GEO-E		16896	4000*1800* 2000	1070*1840* 2070 * 4packages	2800W	1050	1200	88 egg * 4 trays * 12 decks * 4 trolleys		Please consult
GEO-F		12672	3000*1800* 2000	1070*1840* 2070 * 3 packages	2300W	800	900	88 egg * 4 trays * 12 decks * 3 trolleys	Limit switch * 2 Portable egg candling * 1 Heating pipe * 6 Humidification tube * 3 Egg turning motor * 6 Thermostat fan * 3 Forced-draught fans * 2	Please consult
GEO-G		8448	2000*1800* 2000	1070*1840* 2070 * 2 packages	2000W	530	600	88 egg * 4 trays * 12 decks * 2 trolleys	Limit switch * 2 Portable egg candling * 1 Heating pipe * 4 Humidification tube * 2 Egg turning motor * 4 Thermostat fan * 2 Forced-draught fans * 2	Please consult

GEO-H		6336	2550*830*2000	2580*880*2050	1500W	400	450	88 egg * 6 trays * 12 decks + 176 egg * 2 baskets * 1 deck	Limit switch * 2 Portable egg candling * 1 Heating pipe * 3 Humidification tube * 1 Egg turning motor * 1 Thermostat fan * 1 Forced-draught fans * 2	Please consult
GEO-I		5280	2150*830*2000	2180*880*2050	1000W	260	360	88 egg * 4 trays * 15 decks + 176 egg * 2 baskets * 1 deck	Limit switch * 2 Portable egg candling * 1 Heating pipe * 3 Humidification tube * 1 Egg turning motor * 1 Thermostat fan * 1 Forced-draught fans * 1	Please consult
GEO-J		4224	1750*830*2000	1780*880*2050	800W	230	300	88 egg * 4 trays * 12 decks + 176 egg * 2 baskets * 1 deck		Please consult
GEO-K		3168	1750*830*1700	1780*880*1650	600W	170	210	88 egg * 4 trays * 9 decks + 176 egg * 2 baskets * 1 deck		Please consult
GEO-L		2112	1350*830*1500	1380*880*1550	350W	115	138	88 egg * 3 trays * 8 decks + (176 + 88) baskets * 1 deck	Limit switch * 2 Portable egg candling * 1 Heating pipe * 2 Humidification tube * 1 Egg turning motor * 1 Thermostat fan * 1 Forced-draught fans * 1	Please consult
GEO-M		1408	950*680*1500	980*730*1550	260W	80	95	88 egg * 2 trays * 8 decks + 176 egg * 1 baskets * 1 deck		Please consult

GEO-N		880	950*550*1200	980*730*1250	180W	60	75	88 egg * 2 trays * 5 decks + 176 egg * 1 baskets * 1 deck	Limit switch * 2 Portable egg candling * 1 Heating pipe * 1 Humidification tube * 1 Egg turning motor * 1 Thermostat fan * 1 Forced-draught fans * 1	Please consult
GEO-O		528	700*550*1200	730*600*1250	160W	50	60	88 egg * 1 tray * 6 decks + 88 egg * 1 baskets * 1 deck		Please consult
GEO-P		352	700*550*1000	730*600*1050	120W	45	50	88 egg * 1 tray * 4 decks + 88 egg * 1 baskets * 1 deck		Please consult
GEO-Q		264	700*550*900	730*600*950	100W	35	40	88 egg * 1 tray * 3 decks + 88 egg * 1 baskets * 1 deck		Please consult
GEO-R		176	700*550*800	730*600*850	80W	30	35	88 egg * 1 tray * 2 decks + 88 egg * 1 baskets * 1 deck		Please consult

Note:

- 1) All the prices are net on EXW basis.
- 2) China Inland charge: USD900/20'GP or USD1600/40'GP.
- 3) As different loading proposal might cause different freight cost, FOB/CFR price will be offered only upon exact order quantity from the buyer.
- 4) Payment: 50% by T/T down payment, balance against B/L copy issued by shipping line.
- 5) Delivery: within 25days upon receipt of down payment.

Remind:

- 1) For any model, the egg capacity is fixed but the egg loading quantity could be different due to different machine type:

Full incubator	=>>	Egg capacity = egg incubating quantity
Full hatcher	=>>	Egg capacity = egg hatching quantity
Incubator and Hatcher set	=>>	Egg capacity = egg incubating quantity + hatching quantity

- 2) All the machines are working in electricity voltage 160V~240V, 50Hz. Temperature control $\leq \pm 0.1^{\circ}\text{C}$.
- 3) Full set accessories including main control system, egg candler, tank body, accessory equipment, incubator trays and hatcher baskets etc.
- 4) All the machines are well set-up and tested before container loading.
- 5) Unless specified, egg capacity means chicken eggs. For other eggs such as Duck egg, the loading quantity will be 20% less, for goose egg it will be 60% less. But for small size eggs, loading quantity might be 15% more than the chicken eggs.
- 6) All the incubating trays and hatching baskets from our supply are fit for all of our machine models.
- 7) Warranty: Microcomputer is in 3 years guarantee and others are in 1 year, but technical supports are always available.




Diesel generator Tips ([Pricelist will be supplied upon request](#)) :





- 1) Usually the generator power supply should be 3 times of the machine power. For example,
 Model A is in heating power of 4.5KW, you need a generator at least $4.5\text{KW} \times 3 = 13.5\text{KW}$
 Considering the power factor is with 0.8 lagging, the exact power of generator should be:
 $13.5\text{KW} / 0.8 = 16.87\text{KW}$
 In this case a 18KW or 20KW diesel generator is enough even plus using workshop fans and lighting system or other facilities.
- 2) If you have a machine group for example Model A+B+C in total heating power 12KW,
 Considering the power factor is with 0.8 lagging, the exact power you need is:
 $12\text{KW} \times 3 / 0.8 = 45\text{KW}$
 In this case a 50KW diesel generator is enough even plus using other facilities in the workshop.






Voltage stabilizer Tips ([Price and models could be seen in below accessories list](#)) :




Whatever the power supply is from local electricity or diesel generator, it's very necessary to use Voltage stabilizer to guarantee the machine a stable running without any risks.




Egg Machine Accessories List




Item	Product	Photo	Adaption range	Material	Size mm
1	Chicken egg tray 88		All models	PVC	500*355*25
2	Duck egg tray 63		All models	PVC	500*375*35
3	Goose egg tray 32		All models	PVC	500*380*50




4	Quail egg tray 221		All models	PVC	500*360*40
5	Chicken egg tray 176		For Model 2112 eggs and up	PVC	730*500*35
6	Ostrich egg tray 12			PVC	780*510*175
7	Chicken egg tray 150		For Model 2112 eggs and up (specially for Meat Chicken production)	PVC	725*500*40




8	Hatching basket 88		For Models below 2112 eggs	PVC	595*415*120
9	Hatching basket 176		For Model 880 eggs and up	PVC	765*555*120
10	WD-16 Control panel (standard model)		Model 88~528 eggs	AIC	160*80*95
11	WD-26 Control panel (new model)		Model 88~6336 eggs	AIC	320*140*70
12	WD-28 Control panel		For egg trolley models	AIC	350*240*70

13	15W Egg turning motor		All models		
14	Egg turning motor with bracket set		All models		
15	Egg turning gear		All models		

16	Egg turning limit switch		All models		
17	Dia.100mm Forced-draught fan		For Model 2112 eggs and up	PVC	300*300*1400
18	Dia.200mm Forced-draught fan		For Model 4224 eggs and up	Galvanized iron	225*225*75

19	Dia.300mm Thermostat fan		For Model 88~528 eggs	Galvanized iron	350*350*150
20	Dia.350mm Thermostat fan		For Model 880~1408 eggs	Galvanized iron	360*360*150
21	Dia.1400mm Thermostat fan		For Model 2112~3520 eggs		

22	Dia.1400mm Thermostat fan		For Model 4224 eggs and up		
23	Rechargeable Cold light Portable egg candling apparatus		All models		
24	88*1 Egg candling case			Made in Galvanized steel sheet, with inner lighting system and switch	

25	88*6 Egg candling table	Customized product		Steel structure table with inner lighting system and switch	88 egg * 6 trays = 528 eggs could be checked together but a manual movement of the egg trays is requested.
26	Humidity & Temperature sensor		All models		
27	Humidifier Water Basin		For Model 88~528 eggs	Galvanized iron made	
28	300W Round heating pipe		For Model 88~1408 eggs	Steel made	

29	200W Humidification tube		For Model 88~528 eggs	Stainless steel	length 310mm
30	300W Humidification tube		For Models 3168 eggs and up	Stainless steel	length 410mm
31	Voltage Stabilizer		For GEO-A to G (8448 eggs and up)	6.0KVA	
			For GEO-H, I (5280 ~ 6336 eggs)	3.0KVA	
			For GEO-J to L (2112~4224 eggs)	2.0KVA	
			For GEO-M to R (176~1408 eggs)	1.5KVA	